

T58158

ZBTB7A Antibody



Order 021-34695924

orders@ab-mart.com

Support 400-6123-828

support1@ab-mart.com

Web www.ab-mart.com.cn

□ 100μl;50μl

Background:

Plays a key role in the instruction of early lymphoid progenitors to develop into B lineage by repressing T-cell instructive Notch signals (By similarity).

Alternative Name:

Zinc finger and BTB domain-containing protein 7A (Factor binding IST protein 1) (FBI-1) (Factor that binds to inducer of short transcripts protein 1) (HIV-1 1st-binding protein 1) (Leukemia/lymphoma-related factor) (POZ and Krueppel erythroid myeloid ontogenic factor) (POK erythroid myeloid ontogenic factor) (Pokemon) (Pokemon 1) (TTF-I-interacting peptide 21) (TIP21) (Zinc finger protein 857A) ZBTB7A FBI1 LRF ZBTB7 ZNF857A


Reactivity : Human

Predicted Reactivity : Monkey

Application : WB,IHC,ICC/IF,IP

Application Image

WB



Western blot analysis of ZBTB7A expression in HepG2 cell lysate.

Recommended Dilution:

WB 1:1000~1:5000 IHC 1:50~1:200 ICC/IF 1:50~1:200 IP 1:50

Mol Weight : 70kDa

Gene Symbol : ZBTB7A FBI1 LRF ZBTB7 ZNF857A

Uniprot : o95365

Uniprot link:

<https://www.uniprot.org/uniprotkb/o95365>

Immunogen:

A synthesized peptide derived from human ZBTB7A

Source : Rabbit

Clonality : Monoclonal

Isotype : Rabbit IgG

Specificity:

ZBTB7A Antibody detects endogenous levels of total ZBTB7A

Subcellular location : Nucleus localization

Research Area:

Erythrocyte maturation #chromatin organization

Purification : Affinity-chromatography

Buffer:

PBS, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol

Storage:

Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.