

P60040

beta I Tubulin Antibody

- 50ul
- 100 uL



Order 021-34695924
orders@ab-mart.com
Support 400-6123-828
support1@ab-mart.com
Web www.ab-mart.com.cn

Description:

Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha chain (By similarity).

Uniprot:Q9H4B7

Alternative Names:

Beta tubulin 1, class VI;Class VI beta tubulin antibody;TBB1_HUMAN;TUBB1;Tubulin beta 1 class VI;Tubulin, beta 1 antibody

Species Reactivity:Human Mouse Rat Cow Dog Monkey


Source:Rabbit

Mol Weight:50kDa


Storage Condition: Store at -20 °C. Stable for 12 months from date of receipt.

Application:


WB 1:3000~1:10000 IHC 1:100~1:200 ICC/IF 1:100~1:200 FC 1:100



Western blot analysis of beta I Tubulin expression in (1) K562 cell lysate; (2) Jurkat cell lysate; (3) HeLa cell lysate; (4) 293T cell lysate using beta I Tubulin antibody.



Immunohistochemical analysis of paraffin-embedded human tonsil, using beta I Tubulin Antibody.



Immunofluorescent analysis of HeLa cells, using beta I Tubulin Antibody .