PCNA Antibody Order 021-34695924 orders@ab-mart.com Support 400-6123-828 support1@ab-mart.com Web www.ab-mart.com.cn

Description:

PCNA This protein is an auxiliary protein of DNA polymerase delta and is involved in the control of eukaryotic DNA replication by increasing the polymerase's processibility during elongation of the leading strand. Belongs to the PCNA family. Homotrimer. Forms a complex with activator 1 heteropentamer in the presence of ATP.

Uniprot:P12004

Alternative Names:

Cyclin; DNA polymerase delta auxiliary protein; MGC8367; PCNA; Proliferating cell nuclear antigen

Species Reactivity: Human Mouse Rat


Source: Rabbit

Mol Weight: 29kDa


Storage Condition: Store at -20 °C. Stable for 12 months from date of receipt.

Application:


WB 1:3000~1:10000 IHC 1:50~1:200 ICC/IF 1:100~1:500 IP 1:50~1:100 FC 1:200~1:500




Western blot analysis of PCNA expression in (1) Hela cell lysate; (2) HepG2 whole cell lysate; (3) U937 whole cell lysate; (4) Mouse spleen lysate with PCNA Antibody.





Immunohistochemical analysis of paraffinembedded human colon, using PCNA Antibody.





Immunofluorescent analysis of Hela cells, using PCNA Antibody.





CircDLST promotes the tumorigenesis and metastasis of gastric cancer by sponging miR-502-5p and activating the NRAS/MEK1/ERK1/2 signaling. -Molecular Cancer